



Kioti DK4720SEHCB

Luxurious Heated & Air-Conditioned Cab!

Price for stock unit tractor, including hydrostatic transmission, four-wheel drive, choice of turf or R-14 tires, loader assembly and front bucket.



\$45,999.00

Optional "SMITH PACKAGE"

- Includes bolt on cutting edge: *Why would you want to have to weld a new edge on your bucket after a snowy winter scraping down the driveway??*
- Rim guard tire ballast: *We are huge believers in this product!! It transforms these tractors into safe stable material moving beasts.*
- We weld a lifting ring in the front bucket; once you have it you won't be able to live without it.
- A grease gun, full of grease.
- Delivery to your home or business along with a thorough rundown of tractor safety, preventive maintenance, and operation of your new tractor. We want you to be comfortable making the absolute most out of your new Kioti investment.

Cost \$1,200.00



Kioti DK4720SEHCB

☐ KB2485 Backhoe and Subframe: \$11,000.00

Your choice of ☐12" Bucket ☐18" Bucket ☐24" Bucket or ☐36" Bucket

☐ DKA147 Backhoe Thumb: \$600.00

☐ 293060 Rubber Street Pads: \$350.00

☐ SB74 Front Mount Snowblower: \$11,500.00

☐ RT2572 72" Garden Tiller: \$4,700.00

☐ Post Hole Digger

☐ Pallet Forks: \$1,800.00

☐ BB3072 72" Box Blade: \$3,100.00

☐ DK R14 Tires

☐ DK Turf Tires

☐ LED Light Kit: \$599.00

☐ DKA103 72" Bolt On Cutting Edge: \$275.00

☐ 3rd Function Valve: \$1,200.00

☐ Bluetooth Radio: \$300.00

☐ Block Heater: \$220.00

Prices noted above include installation.

**Prices on attachments and accessories are subject to change based on
manufacturer and availability.**



Kioti DK4720SEHCB DESCRIPTION

MAIN FEATURES

- Engine Gross Power: 44.9 hp (33.5 kW)
- PTO Type: Independent
- Transmission Type: Hydrostatic
- Shuttle: None
- Diesel engine with Daedong ECO Technology
- Climate-Controlled Cab
- Powerful HST Transmission
- Single Lever Joystick

FEATURES

- Diesel engine with Daedong ECO Technology: The 44.9 hp (33.5 kW) Common Rail Diesel Engine (CRDI) improves fuel efficiency while reducing noise levels. With this eco-friendly Tier 4 engine, the DK10SE Series offers the operator a quiet work environment with powerful performance.
- Power Steering: The standard power steering minimizes the effort required to make tight, repetitive turns.
- Deluxe Suspension Seat: The ergonomically designed, adjustable suspension seat allows the operator to ride in comfort.
- Dual HST Pedal: DK10SE models utilize a two-pedal system for forward and reverse with smooth engagement, acceleration, and deceleration. Dual pedals provide easier use which reduces operator fatigue during long hours of work and when doing repetitive tasks.
- Simple Maintenance: Kioti tractors are designed for easy maintenance. Liftable hoods allow convenient access for daily service checks. Maintaining your tractor for long life and high performance has never been easier.
- Center Marker: The hood design provides the operator with excellent visibility while the center ridge marker assists with maintaining straight lines during operation.
- High Ground Clearance: The minimum ground clearance of 14.5 in. makes usage on rocky or uneven terrain simpler.
- Illuminated Dashboard: The illuminated dashboard ensures great visibility while working in all lighting conditions.
- External 3-Point Control Lever: The rear external 3-point control lever allows you to easily raise and lower the lift arms when attaching implements.
- Toolbox: Conveniently located behind the seat, this toolbox provides storage the operator needs.
- Remote Hydraulic Valves: A standard single remote valve (2nd optional) accommodates a wide variety of attachments and implements.
- Single Lever Joystick: An ergonomically designed joystick lever for front loader operation is standard on DK10SE cab model tractors.
- Power Socket with USB & AUX Port: Cab models come standard with a power socket, USB connection and auxiliary port to meet a variety of electrical and audio needs.
- Air Conditioning System: DK10SE cab models come standard with a cooling and heating system ensuring comfortable working conditions all year round.



Kioti DK4720SEHCB DESCRIPTION

ENGINE

- Engine Model: 3H-TH4C
- Engine Gross Power: 44.9 hp (33.5 kW)
- Rated Speed: 2,600 rpm
- No. of Cylinders: 3
- Fuel Type: Diesel
- Displacement: 111.4 cu. in. (1,826 cc)
- Fuel Tank Capacity: 12.7 gal. (48 L)

TRANSMISSION

- Transmission Type: Hydrostatic
- No. of Travel Speeds - Forward / Reverse: 3 Range
- Min. Travel Speed of Forward w/ Ag @ Engine rated speed: 0 mph (0 km/h)
- Max. Travel Speed of Forward w/ Ag @ Engine rated speed: 18.5 mph (29.7 km/h)

POWER TAKE-OFF (PTO)

- PTO Type Transmission: Independent
- PTO Power: 33.4 hp (24.9 kW)
- Rear PTO Speed: 540 rpm
- Mid PTO Speed: 2,000 rpm (Optional)

BRAKES AND CLUTCH

- Brakes: Wet Disc Type
- Clutch: None

DIMENSIONS W/ AG TIRE

- Length w/ 3-point hitch: 125.5 in. (3,189 mm)
- Width: 62.8 in. (1,596 mm)
- Height from Top of Cab: 93 in. (2,363 mm)
- Wheelbase: 71.3 in. (1,810 mm)
- Ground Clearance: 14.5 in. (368 mm)
- Front Tread Ag Tires - Min: 49.2 in. (1,252 mm)
- Rear Tread Ag Tires - Min: 49.2 in. (1,251 mm)
- Min. Turning Radius w/ Brake: 8.63 ft. (2.6 m)

HYDRAULICS

- Total Pump Flow: 16.49 gpm (62.4 L/min)

3-POINT HITCH

- Standard Category: Category 1
- Lift Capacity, 24" aft of hitch: 2,716 lb. (1,232 kg)
- Control Type: Position



Kioti DK4720SEHCB DESCRIPTION

WEIGHT

- Weight w/ Ag Tires w/ Cab: 4,043.3 lb. (1,834 kg)

STANDARD EQUIPMENT

- Headlights
- Signal Lamp
- Parking Brake
- Hydrostatic Power Steering
- Wet Disc Brakes
- 4WD
- Rear PTO
- Illuminated Dashboard
- Rear External 3-Pt Control Lever
- Cup Holder
- Tilt Steering
- Horn
- 2 port Remote Hydraulic Valve
- Deck Mat
- Toolbox
- 7 Pin Socket
- PTO Cover
- Joystick Valve
- Front Working Light
- Heat and A/C
- Rear Window Defrost
- Sun visor
- Power Socket with USB & AUX Port